ANALIZA BIAŁEK

Scan for verify

100017489

Laboratory of Analysis

Client: Sora@key-pharma.st
Order number: 100017489
Name: SAMPLE 1 AAS ANALYSIS
Number of samples: 1 vial

Batch number: ------
Receive date: 2026-08-20
Start date: 2026-08-31
End date: 2026-09-03

Sample identification

Substance	Method of taking a sample	Form
Boldenone Undecylenate	Sample provided by customer	Transparent liquid in a glass vial

Results

Substance	Sample name	Content	Purity
Boldenone Undecylenate	SAMPLE 1 AAS ANALYSIS EG200.2607-01	214,26mg/ml	------

Research comment

The test sample was applied in the amount of 3µl to the BioBasic 8 Thermo Scientific column. During the course of the analysis with the method a linear gradient in the solutions of H2O and Acetonitrile with the addition of 0.1% trifluoroacetic acid, a peak of the sought substance appeared. Its content, when compared to the reference chromatogram, is 214,26mg/ml. Height the measurement error is +-1mg. The actual state of the sample sent before the test is presented on the photo below.

Photo of the test sample



Password

AXIU9PV4

Analiza Bialek sp. z o.o.
KRS: 0000966168
NIP: 8992922970
REGON: 521751875

Headquarters and Laboratory:
ul. Duńska 9, 54-427 Wrocław
Budynek DELTA

Lab technician:
Analysis and research specialist
mgr Arkadiusz Zając

ANALIZA BIAŁEK

Scan for verify

100017489

Chromatogram



Method

Time	H2O + 0,1% TFA	ACN + 0,1% TFA
0min	60%	40%
2min	60%	40%
27min	5%	95%
30min	5%	95%

Password

AXIU9PV4

Analiza Bialek sp. z o.o.
KRS: 0000966168
NIP: 8992922970
REGON: 521751875

Headquarters and Laboratory:
ul. Duńska 9, 54-427 Wrocław
Budynek DELTA

Lab technician:
Analysis and research specialist
mgr Arkadiusz Zając